



PRODUCT BROCHURE

Stairwell Scaffold

Compact aluminum access for stairways

DOCUMENT USE NOTE

Original product literature follows this branded cover.

Stairwell Scaffold



INSTANT
UpRight Scaffold

WWW.UPRIGHTSCAFFOLD.COM

1-877-697-2233

Assembly

STEP 1



It requires no tools and can be erected to multiple heights in five simple steps using the base section, the platform and standard aluminum components.

The base unit simply folds out and is set up on the stairwell. To reach the desired height add aluminum extensions, the platforms, the guardrails, toeboards and outriggers.

...then you're ready for work!

STEP 2



STEP 3



STEP 4



STEP 5



Stairwell Scaffold

The Stairwell Scaffold makes light work of overhead and wall access over stairways. It's lightweight aluminum design and compact folding sections make it easy to handle, easy to build and easy to transport.



Manufactured with cold-formed (non-welded) Rib-Grip joints, the Stairwell is strong and highly durable.



Leg adjustment to suit stairway rise and run. Includes base plates. Compatible with standard Easy Lift, Instant and *Werner Span scaffold components.

Meets all applicable OSHA and ANSI standards.



Features

- **ONE-PIECE FOLDING STAIRWELL BASE SECTION**
- **COMPACT DIMENSIONS**
- **SIMPLE TO ERECT**
- **NON-WELDED 'RIB GRIP' JOINTING SYSTEM**
- **TEN YEAR GUARANTEE**

Specifications

Overall height	6ft. 7ins. Adjusts to 7ft. 5ins.
Overall length	6ft. 3ins./8ft. 3ins.
Overall width	2ft. 5ins.
Weight	60 lbs./67 lbs.
Max. distributed platform capacity	500lbs.

UpRight Scaffold
P.O. Box 42011
Phoenix, AZ 85080
1-877-697-2233

*Call before using Werner 8' equipment.

For safe use and assembly please refer to the manufacturer's assembly guide. Specifications are subject to change without notice. The photographs in this brochure are for promotional purposes only.