



TECHNICAL REFERENCE

Span 400 Series Data Sheet

Components, configurations and user information

DOCUMENT USE NOTE

Technical reference. Confirm applicability to your exact Span 400 configuration before use.

INSTANT

UpRight Scaffold

User Manual

SPAN 400 series

Data Sheet

SPAN 400 series Data Sheet

Contents

- *Braces 3*
- *Toeboards 4-6*
- *Platforms 7*
- *Frames 9-12*
- *Bracing Frames 13-14*
- *Guardrail Frames 15-18*
- *VX Bases 19-21*
- *VX Frames 22-23*
- *VX Folding Braces 24*
- *Outriggers 25*
- *Ladders 226*
- *Adjustable Legs 27*
- *Castors 28*
- *SPAN 400 User Manual 29*
- *Contact Information 29*

INSTANT

UpRight Scaffold

HORIZONTAL BRACE



Part No.	Description	Size A (mm)	Size A (in)	Weight (kg)	Ring color
1509	1.29m (4Ft) Horizontal Brace	1290	50.787	1.4	—
121	2.0m (6Ft) Horizontal Brace	1812	75.276	1.7	Light Blue
105	2.5m (8Ft) Horizontal Brace	2496	98.268	2.0	Light Brown
111	3.0m (10Ft) Horizontal Brace	3048	120	2.4	Orange

DIAGONAL BRACE




Part No.	Description	Size A (mm)	Size A (in)	Weight (kg)	Ring color
8068	1.29m (4Ft) Diagonal Brace	1533	60.354	1.6	—
164	2.0m (6Ft) Diagonal Brace	2084	82.047	1.8	Dark Blue
163	2.5m (8Ft) Diagonal Brace	2630	103.543	2.2	Dark Brown
110	3.0m (10Ft) Diagonal Brace	3158	124.331	2.5	Red


4 Piece Wooden Toeboard Set

INSTANT

UpRight Scaffold




Part No.	Description	A (mm)	A (in)	Weight (Kg)
9604	1.29m (4Ft) SW Toeboard Set	1290	50.787	5.6
9606	2.0m (6Ft) SW Toeboard Set	1912	75.276	6.8
9608	2.5m (8Ft) SW Toeboard Set	2496	98.268	8.4
9610	3.0m (10Ft) SW Toeboard Set	3048	120	9.8




Part No.	Description	A (mm)	A (in)	Weight (Kg)
9614	1.29m (4Ft) DW Toeboard Set	1290	50.787	7.5
9616	2.0m (6Ft) DW Toeboard Set	1912	75.276	8.7
9618	2.5m (8Ft) DW Toeboard Set	2496	98.268	11.5
9620	3.0m (10Ft) DW Toeboard Set	3048	120	14.4

4 Piece Wooden Toeboard


Parts



Part No.	Description	Size A (mm)	Size A (in)	Weight (Kg)
9617-04	1.25m (4ft) Side Toeboard	1290	50.78	1.8
9617-06	2.0m (6ft) Side Toeboard	1912	75.27	2.7
9617-08	2.5m (8ft) Side Toeboard	2495	98.26	3.5
9617-10	3.0m (10ft) Side Toeboard	3048	120	4.2



Part No.	Description	Weight (Kg)
9619-02	End Toeboard SW	0.04




Part No.	Description	Weight (Kg)
9619-04	End Toeboard DW	1.35


INSTANT

UpRight Scaffold

1 Piece Wooden Toeboard (folding)




Part No.	Description	Size A (mm)	Size A (in)	Weight (Kg)
E2480-14	1.20m (4ft) SW Toeboard Hinged	1174	46.22	8.4
E2480-36	2.0m (6ft) SW Toeboard Hinged	1798	70.78	8.5
E2480-48	2.5m (8ft) SW Toeboard Hinged	2382	93.78	10.0
E2480-60	3.0m (10ft) SW Toeboard Hinged	2934	115.51	11.5




Part No.	Description	Size A (mm)	Size A (in)	Weight (Kg)
E 2480-44	1.20m (4ft) DW Toeboard Hinged	1174	46.22	8.4
E2480-66	2.0m (6ft) DW Toeboard Hinged	1798	70.78	10.0
E2480-88	2.5m (8ft) DW Toeboard Hinged	2382	93.78	11.5
E2480-90	3.0m (10ft) DW Toeboard Hinged	2934	115.51	13.0

Standard Platform



Part No.	Description	Size A (mm)	Size A (m)	Weight (Kg)
46265	1.29m (4Ft) Standard Platform	1290	50.78	9.5
46282	2.0m (6Ft) Standard Platform	1912	75.27	15.8
46363	2.5m (8Ft) Standard Platform	2496	98.26	17.2
46208	3.0m (10Ft) Standard Platform	3048	120	15.7

Trapdoor Platform



Part No.	Description	Size A (mm)	Size A (m)	Weight (Kg)
46092-03-2	1.29m (4Ft) Trapdoor Platform	1290	50.78	9.72
46093-03-2	2.0m (6Ft) Trapdoor Platform	1912	75.27	14.1
46094-03-2	2.5m (8Ft) Trapdoor Platform	2496	98.26	17.5
46095-03-2	3.0m (10Ft) Trapdoor Platform	3048	120	20.0

Base Frame (spigots down)

INSTANT
UpRight Scaffold



Part No.	Description	Weight (Kg)
WITH LEGS		
9209-00	SW Base Frame (narrow)	9.3
WITHOUT LEGS		
9209-01	SW Base Frame (narrow)	7.3

0.4m Adjustable Leg (Part No. 9317-01)




Part No.	Description	Weight (Kg)
WITH LEGS		
9409-00	SW Base Frame (narrow)	11.5
WITHOUT LEGS		
9409-01	SW Base Frame (narrow)	9.3

0.4m Adjustable Leg (Part No. 9317-01)

Base Ladder Frame (spigots down)

INSTANT UpRight Scaffold




Part No.	Description	Weight (Kg)
E1800-25	EW Base Ladder Frame (narrow)	7.2



Part No.	Description	Weight (Kg)
E2800-16	QW Base Ladder Frame (wide)	9.5

Standard Frame

3 Rung SW Frame



Part No.	Description	Weight
98123	3 Rung SW Frame (narrow)	4.8

Can be used as Base frame (Spigots up) or as extension frame (Spigots down)

5 Rung SW Frame



Part No.	Description	Weight
98125	5 Rung SW Frame (narrow)	7.8

Can be used as Base frame (Spigots up) or as extension frame (Spigots down)

INSTANT

UpRight Scaffold

INSTANT

UpRight Scaffold

Standard Frame

3 Rung DW Frame



Part No.	Description	Weight
00143	3 Rung DW Frame (weld)	2.3

Can be used as Base frame (Spigots up) or as extension frame (Spigots down)

5 Rung DW Frame




Part No.	Description	Weight
00145	5 Rung DW Frame (weld)	2.3

Can be used as Base frame (Spigots up) or as extension frame (Spigots down)

Standard Ladder Frame (Spigots Down)

INSTANT
UpRight Scaffold

3 Rung SW Ladder Frame



Part No.	Description	Weight
51680-02	3 Rung SW Ladder Frame (width)	7.2

5 Rung DW Ladder Frame




Part No.	Description	Weight
51680-03	5 Rung DW Ladder Frame (width)	12.6

Guardrail Bracing Frame

INSTANT UpRight Scaffold




Part No.	Description	Size A(mm)	Size A (in)	Weight (Kg)
9604-01	2.0m (6Ft) Bracing Frame	1912	75.27	4.14
9604-02	2.5m (8Ft) Bracing Frame	2496	98.26	4.85
9604-03	3.0m (10Ft) Bracing Frame	3048	120	5.82



Part No.	Description	Size A(mm)	Size A (in)	Weight (Kg)
9604-01R	2.0m (6Ft) Bracing Frame	1912	75.27	5.09
9604-02R	2.5m (8Ft) Bracing Frame	2496	98.26	5.81
9604-03R	3.0m (10Ft) Bracing Frame	3048	120	7.25

Guardrail Bracing Frame

INSTANT
UpRight Scaffold



Part No.	Description	Size A(mm)	Size A (in)	Weight (Kg)
9604-10	2.0m (6Ft) Bracing Frame	1913	75.27	5.38
9604-20	2.5m (8Ft) Bracing Frame	2498	98.26	6.26
9604-30	3.0m (10Ft) Bracing Frame	3048	120	7.10


Guardrail Frame

Spigot UP System

INSTANT UpRight Scaffold



Part No.	Description	Weight (Kg)
GR42	Guardrail Frame DW (narrow)	2.8



Part No.	Description	Weight (Kg)
GR44	Guardrail Frame DW (wide)	3.7

Guardrail Frame

Spigot Down System

INSTANT UpRight Scaffold




Part No.	Description	Weight (Kg)
9573	Guardrail Frame DW (narrow)	3.3




Part No.	Description	Weight (Kg)
9577	Guardrail Frame DW (wide)	4.3

Guardrail Frame

INSTANT UpRight Scaffold



Part No.	Description	Weight (Kg)
270-00	Special DW Guardrail System (narrow)	1.1



Part No.	Description	Weight (Kg)
470	Special DW Guardrail System (wide)	4.5

Guardrail Frame

INSTANT
UpRight Scaffold



Part No.	Description	Weight (Kg)
E285-29	2 Ring D/W Guardrail Extension Comb (narrow)	4.7




Part No.	Description	Weight (Kg)
E285-30	2 Ring D/W Guardrail Extension Comb (wide)	5.8

INSTANT

UpRight Scaffold

VX Base


Single
Width with
legs



VX Assemblies include four legs (0.4m Part No. 9517-01)

Part No.	Description	Size A (mm)	Size A (in)	Weight (kg)
99346-00	2.0m (5Ft) VX Base SW (narrow)	1913	75.27	27.1
99348-00	2.5m (8Ft) VX Base SW (narrow)	2496	98.26	28.1
99350-00	3.0m (10Ft) VX Base SW (narrow)	3048	120.0	29.1

Double
Width with
legs



VX Assemblies include four legs (0.4m Part No. 9517-01)


Part No.	Description	Size A (mm)	Size A (in)	Weight (kg)
99446-00	2.0m (5Ft) VX Base DW (wide)	1913	75.27	33.4
99448-00	2.5m (8Ft) VX Base DW (wide)	2496	98.26	34.6
99450-00	3.0m (10Ft) VX Base DW (wide)	3048	120.0	35.8

INSTANT

UpRight Scaffold


VX Base

Single Width
without legs



Part No.	Description	Size A(mm)	Size A(in)	Weight (kg)
99246-01	2.0m (6Ft) VX Base SW (narrow)	1912	75.27	22.9
99248-01	2.5m (8Ft) VX Base SW (narrow)	2496	98.26	23.9
99250-01	3.0m (10Ft) VX Base SW (narrow)	3048	120.0	24.9

Double Width
without legs




Part No.	Description	Size A(mm)	Size A(in)	Weight (kg)
99446-01	2.0m (6Ft) VX Base DW (wide)	1912	75.27	30.4
99448-01	2.5m (8Ft) VX Base DW (wide)	2496	98.26	31.3
99450-01	3.0m (10Ft) VX Base DW (wide)	3048	120.0	32.8

INSTANT

UpRight Scaffold

VX Base (Ladder Type)


Single Width
with legs



VX Assemblies include four legs (D-4in Part No. 9517-01)

Part No.	Description	Size A(mm)	Size A(In)	Weight (kg)
E1680-10	2.0m (6Ft) Ladder VX Base SW (narrow)	1912	75.27	30.5
E1680-08	2.5m (8Ft) Ladder VX Base SW (narrow)	2495	98.25	31.5
E1680-12	3.0m (10Ft) VX Ladder Base SW (narrow)	3048	120.0	32.5

Double Width
with legs



VX Assemblies include four legs (D-4in Part No. 9517-01)

Part No.	Description	Size A(mm)	Size A(In)	Weight (kg)
E1680-09	2.0m (6Ft) Ladder VX Base DW (wide)	1912	75.27	35.8
E1680-07	2.5m (8Ft) Ladder VX Base DW (wide)	2495	98.25	37.2
E1680-11	3.0m (10Ft) Ladder VX Base DW (wide)	3048	120.0	38.2

INSTANT


UpRight Scaffold

VX Frame

Single Width



Double Width




Part No.	Description	Weight (Kg)
99241	Single Width VX Frame	10.2
99242	Single Width VX Frame (with struts)	10.3
99441	Double Width VX Frame	12.2
99442	Double Width VX Frame (with struts)	12.3


VX Ladder Frame

INSTANT
UpRight Scaffold

Single Width



Double Width



Part No.	Description	Weight (Kg)
E1680-02	Single Width Ladder VX Frame (with strap)	14.2
E1680-01	Double Width VX Ladder Frame (with strap)	18.2

INSTANT

UpRight Scaffold

Horizontal Brace



Part No.	Description	Size A (mm)	Size A (in)	Weight (Kg)
1088	2.0m (6Ft) Horizontal Brace	1798	70.78	1.9
1089	2.5m (8Ft) Horizontal Brace	2382	93.78	2.3
1090	3.0m (10Ft) Horizontal Brace	2934	115.51	2.7

VX Folding Brace

Diagonal Brace

Type A (single width)



Part No.	Description	Size A (mm)	Size A (in)	Weight (Kg)
9985	2.0m (6Ft) Diagonal Brace	2059	81.06	2.1
9986	2.5m (8Ft) Diagonal Brace	2585	101.77	2.4
9987	3.0m (10Ft) Diagonal Brace	3100	122.04	2.7

Type B (double width)



Part No.	Description	Size A (mm)	Size A (in)	Weight (Kg)
1085	2.0m (6Ft) Diagonal Brace	2059	81.06	2.1
1086	2.5m (8Ft) Diagonal Brace	2585	101.77	2.4
1087	3.0m (10Ft) Diagonal Brace	3100	122.04	2.7

INSTANT

UpRight Scaffold

Outrigger




Part No.	Description	Weight (kg)
9030	Fixed Outrigger	4.0
50430	Telescopic Outrigger	5.2
9090	Heavy Duty Outrigger	7.0

Ladder

INSTANT

UpRight Scaffold



Part No.	Description	Weight (Kg)
9006-31	Six Step Ladder	6.4


Adjustable Leg

INSTANT UpRight Scaffold



Adjustable Leg

Part No.	Description	Size (A)	Size A (in)	Weight (Kg)
9527-01	0.4m Adjustable Leg	406	15.99	1.3
9204-01	0.6m Adjustable Leg	615	24.21	1.4
9121	0.8m Adjustable Leg	812	31.96	1.7



Part No.	Description	Weight (kg)	Load Capacity (kg)
40617-02	Integral Steel Leg + Castor 250mm	7.0	700

INSTANT

UpRight Scaffold

Casters



Part No.	Description	Weight (Kg)	Load Capacity (Kg)
5061	125mm (5") Swivel Castor	2.3	600
5098 *	150mm (6") Swivel Castor *N/S	2.8	700
9600-01	200mm (8") Swivel Castor	4.4	700

SPAN 400 User Manual

Contact Information

INSTANT USA



P.O. Box 42011 Phoenix, AZ 85080



1-877-697-2233



sales@uprightscaffold.com